

STYLISHLY BUILT,  
INNOVATIVELY DESIGNED.



KS140TL

# CHEERS TO PERFECTION

The perfect glass of wine begins with perfectly stored bottles. Kadeka's range of wine chillers are designed with features that help keep your precious collection in ideal conditions, so that your next glass will be memorable to the last drop.



## 1 VIBRATION

Not only can vibrations disturb the sediments inside the bottle, the kinetic energy from these vibrations can lead to a decrease in tartaric and succinic acids, in turn causing a reduction in esters, which dulls the taste. Our award-winning Signature Series Wine Chillers are equipped with an inverter compressor that reduces sound and vibrations to a minimum.

## 2 LIGHT

While the rule of thumb is to keep your wines out of direct sunlight, it may be hard to block off sunlight completely. This is why all our wine chillers use anti-UV tinted glass to serve as an additional layer of protection.

## 3 AIR QUALITY


Wine needs to be stored in an odour-free environment to avoid scent molecules and other pollutants entering the bottles via the cork, thereby altering the taste. Charcoal filters built into our wine chillers help to minimise such risks, keeping your wine in pristine condition.

## 4 TEMPERATURE

Red and white wines need to be served at different temperatures for their respective flavours to shine through.

As a general rule, white wines should be served chilled and red wines at room temperature. However, if you abide by this simple rule, you'll probably never be able to bring out the best in your wines.

Each wine style has an ideal serving temperature:



### SERVED ABOVE ideal temperature



Aromas are stripped of their finesse and hidden by a sensation of alcohol



### SERVED BELOW ideal temperature



Tannins will be harsher; bitterness and acidity will be accentuated

### 6-8°C

- Sauvignon Blanc
- Pinot Gris
- Non Vintage Champagnes
- Ice Wines

### 7-8°C

- Dessert Wines

### 8-10°C

- Riesling
- Verdelho
- Vintage Champagnes

### 10-12°C

- Roses
- Semillon
- Viognier
- Sauternes

### 12-13°C

- Full-bodied whites (Grand Cru Burgundies, Chardonnays)

### 14-16°C

- Lighter-bodied whites (Burgundies, Pinot Noir, Merlot)

### 17-18°C

- Full-bodied reds (Bordeaux, Napa Cabs, Shiraz, Zinfandel)



## CHOOSING YOUR WINE CHILLER

1

Bottle Capacity



Small  
15-40



Medium  
50-120



Large  
140-200

2

Function



Single  
Zone

All wines are traditionally cellared at the same temperature (12-14°C). A single-zone wine chiller is thus ideal for storage. Single-zone chillers can be used to keep red and white wines at their respective drinking temperatures (6-8°C for whites, 16-18°C for reds).



Dual  
Zone

Dual-zone chillers are ideal for keeping reds and whites at their respective drinking temperatures within the same chiller. Alternatively, if only one type of wine is kept, one of the zones may be designated for cellaring purposes.



Triple  
Zone

With a triple-zone chiller, it is possible to have one cellaring zone (for both reds and whites together) and two drinking temperature zones (one each for reds and whites), giving you more flexibility and options.

3

Design



Signature Series



Steel Series



Medley Series



POL ROGER

POL ROGER

POL ROGER

POL ROGER

POL ROGER

POL ROGER

CHAMPAGNE

CHAM



**KADeKA**  
SIGNATURE

## BUILT FOR THE WINE CONNOISSEUR

Architectural in form, phenomenal in function.

Kadeka's top-of-the-line Signature Series blends high-end features with a minimalist full-glass design for seamless integration into any interior. The intuitive operating system, enhanced by Inverter Technology, makes it a breeze to run, ensuring that it meets the strict demands of the true wine connoisseur.



# AWARD-WINNING INVERTER TECHNOLOGY WINE CHILLER

The Kadeka Signature Series Inverter wine chiller is silent as the compressor runs at a slow speed and continuously regulates the temperature resulting in temperature consistency. Using R600a gas, it promises better energy efficiency and reduced carbon footprint.



Inverter compressor is available in  
KS106TL/TR, KS140TL & KS194TL/TR



AN ASME-LIANHE ZAOBAO AWARD

新加坡金字品牌奖

Singapore  
Prestige  
Brand Award  
2018

Winner, SPBA - Established Brands



### SPECIAL SHELVING

The special shelving layout allows wine connoisseurs to display their favourite wines.



### WIDER SHELF CONCEPT WITH TELESCOPIC ROLLERS

A wider shelf concept allows you to showcase 11 champagne bottles comfortably. Its sturdy metal design allows it to withstand the additional weight and protects wine labels from being scratched.

The telescopic rollers allow the shelves to be fully extended for easy access to bottles located in the rear.

## LABEL SYSTEM

(except for KS140TL)

At a glance, you will be able to know the variety of wines available.



## COMPRESSOR WITH CHARCOAL FILTER

Get fresh air and customised temperature control with Kadeka's intelligently designed state-of-the-art compressor. The compressor maximises efficiency while remaining powerful enough to provide superior cooling. Its smart system ensures that every bottle remains stored at their optimal temperature, circulates cool air throughout the chiller, eliminating hot spots while providing a faster cool down time. The embedded charcoal filter helps purify the air against odours inside the chiller, allowing clean air to circulate while keeping your wines in good condition.

## CONNOISSEUR SET

(Available on special order)

Connoisseur set for KS194TL / KS194TR, KS106TL / KS106TR

Impress your guests as you decant your fine wines in the chiller.



## INTEGRATED HANDLE

Designed for a smooth profile to enhance the elegant look.




## FULL GLASS FINISH WITH DIGITAL DOOR DISPLAY

Decked with an easy-to-use touch control system, monitor and adjust the desired temperature of your chiller based on the selection of wines you have in your collection.



## LED DISPLAY WITH DIFFERENT LIGHTING

Interior LED lighting alternates between a soft blue and red to display your collection elegantly. Feel at ease to carefully browse through your collection without fear of the lighting damaging your wines.








**KADeKA**  
SIGNATURE







## KS194TL / KS194TR

Free-standing unit or Built-in  
(Connoisseur Set available on special order)



### TEMPERATURE

Single temperature zone 5-22°C



### BOTTLES

194

### FEATURES

- Inverter Compressor
- Full rimless glass door frame
- Control panel on door with LED temperature display in Centigrade / Fahrenheit
- 3-layered anti UV full glass door in light blue tint
- Black cabinet
- 13 telescopic metal shelves with bottle stabilizer
- 2 wire racks
- Left Door or Right Door hinge
- Charcoal filter, temperature memory, built-in fan & lock
- Voltage / Power input 220-240V / 190W

### DIMENSIONS

H x W x D : 1835 x 655 x 685 (mm)

Available in White Door



## KS140TL

Free-standing unit or Built-in  
\*Different shelving concept



### TEMPERATURE

Single temperature zone 5-22°C



### BOTTLES

143

### FEATURES

- Inverter Compressor
- Full rimless glass door frame
- Interior lighting: LED white
- Control panel in cabinet with LED temperature display in Centigrade / Fahrenheit
- 3-layered anti UV full glass door in light blue tint
- Black cabinet
- 12 Vintage Display Wire Shelves (Patent Design)
- Charcoal filter, temperature memory, built-in fan & lock
- Voltage / Power input 220-240V / 190W
- Reversible door

### DIMENSIONS

H x W x D : 1835 x 655 x 680 (mm)



## KS106TL / KS106TR

Free-standing unit or Built-in  
(Connoisseur Set available on special order)



### TEMPERATURE

Single temperature zone 5-22°C



### BOTTLES

106

### FEATURES

- Inverter Compressor
- Full rimless glass door frame
- Control panel on door with LED temperature display in Centigrade / Fahrenheit
- 3-layered anti UV full glass door in light blue tint
- Black cabinet
- 7 telescopic metal shelves with bottle stabilizer
- 2 wire racks
- Charcoal filter, temperature memory, built-in fan & lock
- Left Door or Right Door hinge
- Voltage / Power input 220-240V / 135W

### DIMENSIONS

H x W x D : 1200 x 595 x 685 (mm)

Available in White Door



## KS54TL / KS54TR

Free-standing unit or Under Counter



### TEMPERATURE

Single temperature zone 5-22°C



### BOTTLES

54

### FEATURES

- Full rimless glass door frame
- Control panel on door with LED temperature display in Centigrade / Fahrenheit
- 3-layered anti UV full glass door in light blue tint
- Black cabinet
- 6 telescopic metal shelves with bottle stabilizer
- 1 wire rack
- Charcoal filter, temperature memory, built-in fan & lock
- Left Door or Right Door hinge
- Voltage / Power input 220-240V / 100W

### DIMENSIONS

H x W x D : 813 x 595 x 570 (mm)

Available in White Door





NEW

# MEDLEY

SERIES

## MORE VERSATILITY, MORE OPTIONS

In an innovative first, the Kadeka Medley Series features a separate compartment with its own temperature zone and customisable racking system, suitable for storing and serving canned beverages. The clear glass door and compartment front lets you easily see what's inside, and with fully extendable rails, everything is easily reached too.

NEW  
**MEDLEY**  
SERIES



# A MEDLEY OF FEATURES YOU'LL LOVE



## DUAL TEMPERATURE ZONES

Independent temperature controls ensure ideal storage conditions in each compartment.



## CUSTOMISABLE SHELVES

Ideal for storing both wine and other beverages in the same chiller.



Top compartment may also be used for canned beverages only.



Acrylic panels may be removed for greater versatility.



## KB40WBC

Free-standing unit or Built-in



### TEMPERATURE

Dual temperature zone 5-18°C



### BOTTLES

25



### Canned Beverages

54

### FEATURES

- Black Stainless Steel Finish
- Customisable beverage shelf (54 Cans)
- Soft close telescopic shelves
- Choice of 3 different LED lighting (White, Blue & Amber)
- LED temperature display control panel
- Built-in lock
- Charcoal filter
- Alarm Feature

### DIMENSIONS

H x W x D : 822 x 595 x 562 (mm)

POWER



LIGHT



RUN

25.0 °C

TEMP.SET

21.6 °C

DISPLAY

UP



DOWN





**KADeKA**  
STEEL

**SEAMLESS DESIGN, EXQUISITE TASTE**

Created to achieve a clean and minimalist design. The Kadeka Steel Series fits perfectly with your decor, and is absolutely the perfect storage system for your fine wines.

**KAdEKA**  
STEEL





### DIGITAL CONTROLS

Conveniently set the optimal temperature for red and white wines with the easy program and LED control.



### MAXIMUM STORAGE CAPACITY

Sturdy shelving design comfortably accommodates your wine collection.



### BUILT-IN FAN & CHARCOAL FILTER

For improved humidity control and faster cooling.



### CLEAN LINES, SEAMLESS DESIGN

Stainless steel with 3-layered anti UV tinted glass door, soft LED lighting and wooden shelving system add sophistication to any room décor.



### BUILT-IN LOCK



## KSJ168EW

Free-standing unit or Built-in



### TEMPERATURE

Single temperature zone 5-18°C



### BOTTLES

165

### FEATURES

- 15 wooden shelves with stainless steel trim
- Active charcoal filter, temperature memory
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting
- 3-layered anti UV glass

### DIMENSIONS

H x W x D: 1764 x 595 x 676 (mm)



## KA165T

Free-standing unit or Built-in



### TEMPERATURE

Two temperature zones - 5-18°C



### BOTTLES

151

### FEATURES

- 8 wooden shelves with stainless steel trim
- Active charcoal filter, temperature memory
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting
- 3-layered anti UV glass

### DIMENSIONS

H x W x D: 1764 x 595 x 676 (mm)



## KA143T

Free-standing unit or Built-in



### TEMPERATURE

3 temperature zones - upper 5-18°C, middle 5-10°C, lower 10-18°C



### BOTTLES

143

### FEATURES

- 13 wooden shelves with stainless steel trim
- Active charcoal filter, temperature memory
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting
- 3-layered anti UV glass

### DIMENSIONS

H x W x D: 1764 x 595 x 676 (mm)



## KA110WR

Free-standing unit or Built-in



### TEMPERATURE

Single temperature zone 5-18°C



### BOTTLES

121

### FEATURES

- 11 wooden shelves with stainless steel trim
- Active charcoal filter, temperature memory
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting
- 3-layered anti UV glass

### DIMENSIONS

H x W x D: 1392 x 595 x 676 (mm)



## KA45WR

Free-standing unit or Under Counter



### TEMPERATURE

2 temperature zones - upper 5-12°C,  
lower 12-18°C



### BOTTLES

45

### FEATURES

- 6 wooden shelves with stainless steel trim
- Active charcoal filter, temperature memory
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting
- 3-layered anti UV glass

### DIMENSIONS

H x W x D: 820 x 595 x 570 (mm)



## KA39WR

Free-standing unit or Under Counter



### TEMPERATURE

Single temperature zone -  
adjustable between 7-18°C



### BOTTLES

31

### FEATURES

- 6 wooden shelves with stainless steel trim
- Active charcoal filter, temperature memory
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting

### DIMENSIONS

H x W x D: 813 x 380 x 595 (mm)



## KA24WR

Free-standing unit or Under Counter



### TEMPERATURE

Single temperature zone 5-18°C



### BOTTLES

20

### FEATURES

- Wooden shelves with stainless steel trim
- Circulated fan cooling for balanced storage temperature
- Low vibration and auto defrosting
- 3-layered anti UV glass

### DIMENSIONS

H x W x D: 821 x 295 x 571 (mm)



## KSJ115EW

Free-standing unit or Built-in



### TEMPERATURE

Single temperature zone - adjustable between 7-15°C



### BOTTLES

15

### FEATURES

- 2 wooden shelves
- Low vibration
- 2-layered anti UV glass

### DIMENSIONS

H x W x D: 500 x 450 x 480 (mm)


## PRODUCT SPECIFICATIONS

Model	KS194TL	KS194TR	KS140TL	KS106TL	KS106TR	KS54TL	KS54TR	KB40WBC
Capacity	194 bottles	194 bottles	143 bottles	106 bottles	106 bottles	54 bottles	54 bottles	25 bottles 54 cans
Cabinet Colour	Black & White		Black	Black & White				Black
Cabinet Design	Full glass rimless frame, integrated handle							Black Seamless Stainless Steel Handle & Door Frame
Control Panel on door with LED temperature display in Touch key Centigrade/Fahrenheit	Touch key							Touch key
Dimensions (mm)	1835	1835	1835	1200	1200	813	813	822
Height								
Width	655	655	655	595	595	595	595	595
Depth	685	685	680	685	685	570	570	562
Glass Door Type No. of Layers	3	3	3	3	3	3	3	3
Anti UV Tinted	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Door Hinge	Right	Left	Reversible	Right	Left	Right	Left	Right
Interior Light	Red. Blue. Red & Blue cycle		White	Red. Blue. Red & Blue cycle				White, Blue & Amber
Wood with Stainless Steel Trim	-	-	-	-	-	-	-	2
Beverage Shelf	-	-	-	-	-	-	-	1
Telescopic Shelves with bottle stabiliser	13	13	-	7	7	6	6	-
Wire Racks	2	2	12*	2	2	1	1	-
Handle Type	Integrated							-
Voltage/Frequency	220 -240V / 50Hz							220 -240V / 50Hz
Power Input (W)	190	190	190	135	135	100	100	100
Temperature Range	5 - 22°C							5 - 18°C
Compressor	Inverter					Non-Inverter		-
Weight (Kg)	128	128	106	72	72	48	48	56
Door Alarm	-	-	-	-	-	-	-	Yes

\* Vintage Display Wire Shelves (Patent Design)




**KS194TL / KS194TR**  
194 bottles



**KS140TL**  
143 bottles



**KS106TL / KS106TR**  
106 bottles



**KS54TL / KS54TR**  
54 bottles



**KB40WBC**  
25 bottles  
54 cans

For built-in installation, please contact our sales staff.

\*\* Depth dimensions exclude handle protrusion.

Disclaimer: Information is accurate as of January 2020. Product design may differ from pictures shown. Capital Marketing (S) Pte Ltd reserves the right to alter technical specifications including product design without prior notice. Capacity is based on Bordeaux type bottles (0.75L) and subject to display pattern of bottles.

PRODUCT SPECIFICATIONS


Model	KSJ168EW	KA165T	KA143T	KA110WR	KA45WR	KA39WR	KA24WR	KSJ115EW
Capacity	165 bottles	151 bottles	143 bottles	121 bottles	45 bottles	31 bottles	20 bottles	15 bottles
Cabinet Colour	Black							
Cabinet Design	Seamless Stainless Steel Handle & Door Frame							Recessed handle
Internal Control Panel LED temperature display in Centigrade/Fahrenheit	Digital							-
Dimensions (mm) Height	1764	1764	1764	1392	820	813	821	500
Width	595	595	595	595	595	380	295	450
Depth	676	676	676	676	570	595	571	480
Glass Door Type No of Layers	3							2
Anti UV Tinted	Yes							No
Interior Light	Yes							No
No. of Sliding Shelves Wood	-							2
Wood with Stainless Steel Trim	15	8	13	11	6	6	6	-
Voltage/Frequency	220 -240V / 50Hz							
Power Input (W)	190	190	180	180	160	140	100	78
Temperature Range Single Zone	5-18°C	-	-	5-18°C	-	5-18°C	5-18°C	5-18°C
2-Zone	-	5-18°C independent settings	-	-	Upper 5-12°C Lower 12-18°C	-	-	-
3-Zone	-	-	Upper 5-12°C Mid 5-10°C Lower 12-18°C	-	-	-	-	-
Weight (Kg)	98	99	111	82	50	41	32	23



**KSJ168EW**  
165 bottles



**KA165T**  
151 bottles



**KA143T**  
143 bottles



**KA110WR**  
121 bottles



**KA45WR**  
45 bottles



**KA39WR**  
31 bottles



**KA24WR**  
20 bottles



**KSJ115EW**  
15 bottles

**CAPITAL MARKETING (S) PTE LTD**

9 Tagore Lane, #02-31 to 33, 9@Tagore S(787472)

Tel: 6288 9190 | Fax: 6288 5869 | sales@capital.com.sg

www.kadega.sg

# KAdEKA

BETTER LIVING, BETTER LIVES

**CAPITAL MARKETING (S) PTE LTD**

9 Tagore Lane, #02-31 to 33, 9@Tagore S(787472)  
Tel: 6288 9190 | Fax: 6288 5869 | sales@capital.com.sg  
[www.kadeka.sg](http://www.kadeka.sg)